



Punjab Fire Services
(Punjab MC)



FIRE SAFETY CERTIFICATE
ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ

NCC No: 2263-07204-116x/2021

NCC Type: New

Dated: 05-May-2021

Certified that the KV NO 2 DMW PATIALA or KV NO 2 DMW PATIALA comprised of 0 storeys and 2 (Types) floors owned/occupied by PRINCIPAL SHASHI KANT have complied with the fire prevention and fire safety requirements of National Building Code and specified by the office concerned of fire service on 30-Apr-2021 in the presence of Shashi Kant (Name of the owner or his representative) and that the building premises is in fire occupancy group Educational subdivision B-1 (As per NBC) for period of one year from issue date. Subject to the following conditions:

Issued on: 05-May-2021 at Patiala MC

ਤਸਦੀਕ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ KV NO 2 DMW PATIALA ਦੇ ਕਿ KV NO. 2 DMW PATIALA ਸਮੇਤ 0 ਬੇਸਮੈਂਟ ਅਤੇ 2 (ਉਪਰਲੀ ਮੰਦਰ) ਮਲਕੀਅਤ/ਰਾਖਰਖਦਾਰ PRINCIPAL SHASHI KANT ਨੂੰ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਪ੍ਰਬੰਧ ਅਤੇ ਬਚਾਅ ਦੇ ਗੈਰ-ਮੁਕਾਬਲੇ ਕੋਡ ਅਨੁਸਾਰ ਜਿਸ ਨੂੰ ਸਬੰਧਤ ਅੱਗ ਬੁਝਾਉ ਅਧਿਕਾਰੀ ਵੱਲੋਂ ਪ੍ਰਮਾਣਿਤ ਕੀਤਾ ਗਿਆ 30-Apr-2021 ਮੌਜੂਦਗੀ ਵਿੱਚ Shashi Kant (ਮਾਲਕ ਦਾ ਨਾਮ ਜਾਂ ਉਸ ਦਾ ਪ੍ਰਤੀਨਿਧੀ) ਅਤੇ ਨਿਰਮਾਤਾ / ਸਿਮਟਿੰਗ ਆਧਾਰੀ ਲਈ ਮੌਜੂਦਾ। Occupancy Group Educational subdivision B-1 (ਐਨ. ਬੀ. ਸੀ. ਦੇ ਅਨੁਸਾਰ) ਦੇ ਪ੍ਰਬੰਧ ਸਮੇਂ ਤੋਂ ਇੱਕ ਸਾਲ ਤੱਕ। ਜਿਸ ਲਈ ਨਿਮਨ ਅਨੁਸਾਰ ਹਦਾਇਤਾਂ ਹਨ।

ਜਾਰੀ ਕਰਨ ਦੀ ਮਿਤੀ 05-May-2021 ਕਿੱਥੇ Patiala MC

1. Fire Safety arrangements shall be kept in working condition at all the times.
ਹਰ ਸਮੇਂ ਅੱਗ ਤੋਂ ਬਚਾਅ ਦੇ ਯੋਜਨਾ ਨੂੰ ਚਾਲੂ / ਚੰਗੀ ਹਾਲਤ ਵਿੱਚ ਰੱਖਿਆ ਜਾਵੇ।
2. No, alteration/ addition/ change in use of occupancy is allowed.
ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਦੇ ਬਦਲਾਅ/ ਵਾਧੇ/ ਕਾਬਜਕਾਰ ਵਿੱਚ ਬਦਲਾਵ ਦੀ ਮਨਾਹੀ ਹੈ।
3. Occupants/ owner should have trained staff to operate the operation of fire safety system provided there in.

ਉਪਲੱਬਧ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਯੰਤਰਾਂ ਦੀ ਵਰਤੋਂ ਤੋਂ ਗਹਿਣ ਵਾਲੇ ਲੋਕਾਂ / ਮਾਲਕਾਂ ਨੂੰ ਜਾਣੂ ਕਰਵਾਇਆ ਜਾਣਾ ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ।

4. Fire Officer can check the arrangements of fire safety at any time, this certificate will be withdrawn without any notice if any deficiency is found.

ਫਾਇਰ ਬ੍ਰਿਗੇਡ ਅਧਿਕਾਰੀ ਕਿਸੇ ਵੀ ਵਕਤ ਇਨ੍ਹਾਂ ਸਾਰੇ ਪ੍ਰਬੰਧਾਂ ਨੂੰ ਚੈੱਕ ਕਰ ਸਕਦਾ ਹੈ, ਜੇ ਕਰ ਕੋਈ ਕਮੀ ਪਾਈ ਗਈ ਤਾਂ ਬਿਨਾਂ ਕਿਸੇ ਨੋਟਿਸ ਦੇ ਇਹ ਸਰਟੀਫਿਕੇਟ ਰੱਦ ਸਮਝਿਆ ਜਾਵੇਗਾ।

5. Occupants/ owner should apply for renewal of fire safety certificate one month prior to expiry of this certificate.

ਮਾਲਕ ਜਾਰੀ ਕੀਤੇ ਗਏ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਦੀ ਮਿਤੀ ਖਤਮ ਹੋਣ ਤੋਂ ਇੱਕ ਮਹੀਨਾ ਪਹਿਲਾਂ ਗੀਨੀਊ ਕਰਵਾਉਣ ਲਈ ਪਾਬੰਦ ਹੋਵੇਗਾ।

* Above Details cannot be used as ownership proof.

ਉਪਰੋਕਤ ਦਰਸਾਈ ਗਈ ਜਾਣਕਾਰੀ ਨੂੰ ਮਾਲਕਾਨਾ ਦੇ ਸਬੂਤ ਵਜੋਂ ਨਹੀਂ ਵਰਤਿਆ ਜਾਵੇਗਾ।

* This is digitally created certificate, no signature are needed

ਇਹ ਡਿਜੀਟਲੀ (ਕੰਪਿਊਟਰਾਈਜ਼ਡ) ਤਿਆਰ ਕੀਤਾ ਗਿਆ ਸਰਟੀਫਿਕੇਟ ਹੈ, ਜਿਸ ਵਿੱਚ ਦਸਤਖਤ ਦੀ ਕੋਈ ਲੋੜ ਨਹੀਂ ਹੈ।



केन्द्रीय
KENDRIYA VI

106
New Mehrauli Ro
New Delhi-1100

पत्रांक
No. F. 2-19/86-KVS (Admn-I)

दिनांक
Dated 25.8.86

The Chief Adm.-Officer
Chief Mechanical Engineer
Diesel Component Works
Railway Colony No. 2
Patiala.

sub: Opening of a Kendriya vidyalaya at N.F. Railway, DCW Patiala

Sir,

It has been decided to open a new Kendriya Vidyalaya at your campus of Diesel Component Works, Patiala having classes I to VIII 2 sections each in class I to V and one section each in class VI to VIII under the category 'public sector Undertaking' / Institute of Higher Learning during the academic year 1986-87.

2. Under the terms and conditions, you are requested to deposit an amount of Rs. 2,00,000 (Rupees Two lakh only) approximately 50 % of the estimated expenditure for 1986-87, as the 1st half yearly advance instalment. This amount may please be remitted through a Demand Draft in favour of "Kendriya vidyalaya Sangathan Fund, Chandigarh Region" and sent to Sh. R.P. Vashishtha, Asstt. Commissioner, Kendriya vidyalaya Sangathan, Kothi No. 3007, Sector 20-D, Chandigarh-1 so that the funds could be placed at the disposal of the school well in time to meet its day to day requirements.

3. It is hoped that you have made arrangements for the physical facilities viz. accommodation, staff quarters, furniture, equipment etc. for the proper functioning of the vidyalaya.

4. Orders for opening of the school will be issued on receipt of the D/Draft as referred to above.

Yours faithfully,

(S P Datta)
Asstt. Commissioner (Adm)

Copy to:-

1. The Asstt. Commissioner, KVS, R.O. Chandigarh with reference to his letter No. 20-Estt. /86-KVS(CR)/NKV/Patiala /P.S./5195 dated 2.7.85. It is requested that as and when the D/Draft is received in his office, he be intimated so that orders for opening of the vidyalaya could be issued.

2. The IFA & CAO, KVS, Hqrs., New Delhi for information.

1985
2/19/86

103 (264)

केन्द्रीय विद्यालय संगठन

नया दिल्ली की राह,
नई दिल्ली-110067

संख्या 2-19/86-केन्द्रीय प्र. 11

दिनांक : 26.09.86

विषय

केन्द्रीय विद्यालय संगठन ने सत्य दारा वर्ध 1986-87 के शैक्षिक-सत्र के दौरान परियोजना क्षेत्र के अन्तर्गत एन0 एम0 रेलवे परियोजना में डीजल कम्पौनैन्ट्स वर्क्स के परिसर पर कक्षा 1 से 8 विद्यालयों में 2-2 विद्यार्थियों को छात्र-6 से 8 प्रत्येक में एक-एक सेक्समैस तक के एक नए केन्द्रीय विद्यालय खोलने की, जिस दिन से विद्यालय सार्वजनिक करना शुरू कर देता है, उसी दिन से स्वीकृति प्रदान की जाती है। एन0 एम0 रेलवे, डीजल कम्पौनैन्ट वर्क्स में सारे वर्कों को अदा करने की सहमति प्रदान कर दी है। विद्यार्थी कर्मचारी वर्ग के व्यक्तियों सहित आवर्ती वर्ग तथा आवास, भूमि आनुपातिक अमरी वर्ग और उनके परिसर पर सोने नए केन्द्रीय विद्यालय के मापी-चिह्न देव होने वाले वर्गों सहित अनावर्ती वर्ग भी शामिल हैं।

उन्होंने संयुक्त निदेशक, स्था0/कल्याण, रेलवे बोर्ड, परिवहन-मंत्रालय, रेल विभाग (रेलवे बोर्ड, नई दिल्ली-110001) के दिनांक 11.6.86 के पत्र संख्या-ई/डब्ल्यू/81 वन सी 2-102 दारा परियोजना क्षेत्र में एक नए केन्द्रीय विद्यालय खोलने की शर्तों के प्रति अपनी सहमति प्रदान कर दी है, अतः कि सहायक आयुक्त, केन्द्रीय विद्यालय संगठन, चण्डीगढ़ विभाग ने अपने दिनांक 2-7-86 के पत्र संख्या-20-स्था./86-केविस/सी आर/एस के पी/परियोजना/पी. सं. 5195 दारा अद्योक्ति किया है।

प्रत्येक प्राधिकारी कृपया यह सुनिश्चित करें कि अपने परिसर में विद्यालय आरम्भ करने के लिए निम्न शीर्षक शर्तों को प्रदान करने की उम्मीदें सहमति प्रकट की है, ये शर्तें यथाशीघ्र उपलब्ध की जाती है।

[Signature]
सहायक आयुक्त प्रशासन

16
- Case of No. 11
विवरण :-

1. संयुक्त निदेशक, स्था. कल्याण; रेलवे बोर्ड, परिवहन मंत्रालय, रेल विभाग
2. मुख्य प्रशासन अधिकारी सी. एम. डी. डीजल कम्पौनैन्ट वर्क्स, रेलवे कालोनी-2, चण्डीगढ़
3. सहायक आयुक्त, केन्द्रीय विद्यालय संगठन, चण्डीगढ़ विभाग, कृपया कर्मचारियों की शर्तों के लिए आरम्भ करवाई करें।
4. राज्य सहायक विद्यालय संगठन के.एम.डी-2 अनुभाग, गास्की भवन,

DFA

No. DCW/Estt./39

Dt. 28-6-86

Education Officer,
Kendriya Vidyalaya Sangathan,
3007, Sector 20-D,
CHANDIGARH-160020.

Re : Opening of New Kendriya Vidyalaya at Patiala
under Public Sector during 1986-87.

Ref : Your letter No. 20-Estt/86/KVS(CR)/NKV/Patiala/PS
4660 dated 17.6.86 and your visit to DCW on 26.6

The requisite information is furnished in the enclosed
proforma alongwith the acceptance of terms and conditions for
opening of Kendriya Vidyalaya in DCW. It is also stated that
Department of Railways (Railway Board) have also decided to meet
both recurring and non-recurring expenditure involved in open
of Kendriya Vidyalaya and accept the terms and conditions for
project section KVS. A copy of Rly. Board's letter No. E(W) 81S
102 dt. 11.6.86 is also enclosed.

DA : as above.

(A. Bajaj) 28/6/86
for Chief Admn. Officer(R).

Copy to : The Dy. Commissioner (ADMN),
Kendriya Vidyalaya Sangathan,
New Delhi.


DMW/PTA

Dated: 13.05.2021

No. DMW/WW/ACCOM/20-II

2-15

Principal,
Kendriya Vidyalaya No.2,
DMW/PTA.



Sub: Certificate of safety of School Building and Potable Water in DMW/PTA.

It is Certified that the structural Building of KV-II, DMW/PTA is quite safe and drinking water of KV-II/DMW/PTA is also potable for students and staff use. Drinking water testing (Chemical & Bacteriological) has been done regularly.

सहायक अभियंता
डॉ. एम. डब्ल्यू. पटियाला
Asstt. Engineer
D.M.W., PATIALA

Copy to:

DY.CE/DMW/PTA, for information please.